Morpholine.
Myristyl alcohol.
Naphtha.
β-Naphthol.
Nonylphenol.
Odorless light petroleum hydrocarbons.
Oleyl alcohol.
Petrolatum.
o-Phenylphenol.
Pine oil.
Polybutene, hydrogenated; complying with the identity prescribed under § 178.3740(b) of this chapter.
Polyethylene.
Polyethylene, oxidized (air-blown).
Polymer derived from *N*-vinyl pyrrolidone and copolymers derived from the mixed alkyl (C_{12}-C_{15}, C_{16}, C_{18}, C_{20}, and C_{22}) methacrylate esters, butyl methacrylate (CAS Reg. No. 97–88–1), isobutyl methacrylate (CAS Reg. No. 97–86–9) and methyl methacrylate (CAS Reg. No. 80–62–6); the combined polymer contains no more than 5 weight percent of polymer units derived from *N*-vinyl pyrrolidone and is present at a level not to exceed 7 parts per million by weight of the finished dry paper and paperboard fibers.
Polyoxyethylene (4 mols) decyl phosphate.
Polyoxyethylene (4 mols) di(2-ethyl hexanoate).
Polyoxyethylene (15 mols) ester of rosin.
Polyoxyethylene (3–15 mols) tridecyl alcohol.
Polyoxypropylene, molecular weight 200–2,000.
Polyoxypropylene-polyoxethylene condensate, minimum molecular weight 950.
Polyoxypropylene-ethylene oxide condensate of ethylene diamine, molecular weight 1,700–3,800.
Polyvinyl pyrrolidone, molecular weight 40,000.
Potassium distearyl phosphate.
Potassium pentachlorophenate.
Potassium trichlorophenate.
Rosins and rosin derivatives identified in § 175.105(c)(5) of this chapter.
Silica.
Siloxanes and silicones, dimethyl, methylhydrogen, reaction products with polyethylene-polypropylene glycol monoallyl ether (CAS Reg. No. 71965–38–3).
Sodium alkyl (C_9-C_{15}) benzene-sulfonate.
Sodium dioctyl sulfosuccinate.
Sodium distearyl phosphate.
Sodium lauryl sulfate.
Sodium lignin sulfonate.
Sodium 2-mercaptobenzothiazole.
Sodium naphthalenesulfonic acid (3 mols) condensed with formaldehyde (2 mols).
Sodium orthophenylphenate.
Sodium pentachlorophenate.
Sodium petroleum sulfonate, molecular weight 440–450.
Sodium trichlorophenate.
Stearyl alcohol.
α-[*p*-(1,1,3,3-Tetramethylbutyl) phenyl-, *p*-nonylphenyl-, or *p*-dodecylphenyl]-*omega*-hydroxypoly(oxyethylene) produced by the condensation of 1 mole of *p*-alkylphenol (alkyl group is 1,1,3,3-tetramethylbutyl, a propylene trimer isomer, or a propylene tetramer isomer) with an average of 1.5–15 moles of ethylene oxide.
Tetrahydrofurfuryl alcohol.
Tributoxyethyl phosphate.
Tributyl phosphate.
Tridecyl alcohol.
Triethanolamine.
Triethylene glycol di(2-ethyl hexanoate).
Tri-(2-ethylhexyl) phosphate.
Tristearyl phosphate.
Wax, petroleum, Type I and Type II.
Wax, petroleum (oxidized).
Wax (montan).

[42 FR 14554, Mar. 15, 1977, as amended at 47 FR 17986, Apr. 27, 1982; 47 FR 46495, Oct. 19, 1982; 47 FR 56845, Dec. 21, 1982; 54 FR 24897, June 12, 1989; 57 FR 31313, July 15, 1992; 61 FR 14246, Apr. 1, 1996]

§ 176.230 3,5-Dimethyl-1,3,5,2*H*-tetrahydrothiadiazine-2-thione.

3,5-Dimethyl-1,3,5,2*H*-tetrahydrothiadiazine-2-thione may safely be used as a preservative in the manufacture and coating of paper and paperboard intended for use in contact with food in accordance with the following prescribed conditions:

(a) It is used as follows:

(1) In the manufacture of paper and paperboard as a preservative for substances added to the pulp suspension prior to the sheet-forming operation provided that the preservative is volatilized by heat in the drying and finishing of the paper and paperboard.

(2) As a preservative for coatings for paper and paperboard, *Provided*, That the preservative is volatilized by heat in the drying and finishing of the coated paper or paperboard.

(b) The quantity used shall not exceed the least amount reasonably required to accomplish the intended technical effect and shall not be intended to nor, in fact, accomplish any physical or technical effect in the food itself.

(c) The use of a preservative in any substance or article subject to any regulation in parts 174, 175, 176, 177, 178 and § 179.45 of this chapter must comply with any specifications and limitations prescribed by such regulation for the substance or article.